

MARKING KEY

SIDEWALK IMPROVEMENT PROGRAM

Survey markings will be a white number in the corner of sidewalk flag. Number 1 through 4 will represent the follow replacement criteria are met for any one flag.

1. Sidewalks that exhibit differential sidewalk elevations of 1/2" or greater.
2. Cracked or broken sidewalk with any of the following:
 - a. Hairline or crazing (alligator cracking)
 - b. Deteriorating joints at least 4" long by 1" wide at any point
 - c. **Spalled** areas at least 3" along any one side
3. Surface conditions with any of the following:
 - a. **Pitted** sidewalks with any pit larger than 1 1/2" and at least 1/2" deep.
 - b. Surface deterioration consisting of **scaling** or **popping** (greater than 50% of at least two quadrants of the sidewalk slab)
4. Grade or miscellaneous conditions with any of the following:
 - a. Sidewalks that show signs of ponding water due to settlement
 - b. Excessive sloping, greater than 1" per 12"
 - c. Sidewalks not complying with the 5' wide city standard